



National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



National Highway Traffic Safety Administration

PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 82

CASE NO. 611 P

TYPE OF ACCIDENT CAR/PEDESTRIAN - STOPPED

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

Vehicle #1 was eastbound in lane 2 of a 4-lane, 2-way street.

A pedestrian was crossing southbound in the east crosswalk of an intersection. For unknown reason, the pedestrian stopped in the crosswalk and was bent over at the waist and began to turn back.

Vehicle #1, travelling through the intersection, impacted the pedestrian with its front; the pedestrian was still bent over and approximately turned toward the northeast.

With the pedestrian's head lowered to the bumper lever at impact, the front left hood edge was severely damaged, and the pedestrian was thrown forward.

The driver stopped Vehicle #1 beyond the final rest of the pedestrian and in lane 1.

The pedestrian was hospitalized for one day and then was deceased.

B. PEDESTRIAN PROFILE									
Pedestrian		_	Treatment/	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)					
No.	Age	Sex	Mortality	Body Region Ana. S		AIS	Injury Source		
01	28	male	hospitalized one day - FATAL	Spine	Cord	5	Hood edge		

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity

Vahiele	Class		В	Most Severe Damage ased on Vehicle Inspection	·
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description	
01	'Compact	95/Subaru/Legacy	front	Severe	

DO NOT SANITIZE THIS FORM

 \bigcirc

BEST AVAILABLE COPY

ACCIDENT COLLISION DIAGRAM U.S. Department of Transportation NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM National Kighway Traffic Safety Administration <u>g</u> 9 Indicate PSU No. Case Number - Stratum _____ North = Oriveway D VI Stops and then pulls into Deivelbey. **U**3 Building Curb Edge Roberance Line Lightfole Reference A Sidnoalk PEDas onl way sidemalk HS Form 431B (1/95)

45.7 26.2 1/2 5.61 500



National Highway Traffic Safety Administration

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

gy ar Marco

Primary Sampling Unit Number		Cas	se Num	ber-Stratum 6 P
PEDESTRIAN ACCIDENT CO	LLISION DATA CO	ELECTION		
document reference point and reference line relative to physical features	Surface Type	Bitimus	* north	SCALED DIAGRAM arrow placed on diagram
documentation of all accident induced physical evidence including (if applicable):	Surface Condition	Dey	a in managedic in	register man manufar i (m
a) vehicle skid marks	-	Coca	roadw	measurements for all applicable
b) pedestrian contacts with ground or object	Coefficient of Fric		ン ・scaled	representations of the physical plant
c) vehicle/pedastrian point of impact (POI)	Grade (v/h) Meas	. 1 1	includ	ing:
d) location of pedestrian separation point from vehicle	a) at impact b) between im		cre	road/roadway delineation (e.g., psswalks, curbs/edge lines, lane arkings, medians, pavement markings,
f) final resting points (FRP) for pedastrian and vehicle	and final re	" Stoffeel E	pe	rked vehicles, poles, signs, etc.)
documentation of the physical plant including:	Pedestrian Travel	Direction Facing 19		traffic controls (e.g., lights, signs)
all road/roadway delineation (e.g., crosswalks, curbs/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)	Vehicle Travel Dire	$\overline{\mathcal{J}}$	pedes rest b	trian at pre-impact, impact, and final ased upon either:
b) all traffic controls (e.g., lights, signs)				physical evidence, or reconstructed accident dynamics
S.E. Corner of Int	od creetion	Reference line:	tore	n Cent Edge
Item		Distance and Direct from Reference Po		Distance and Direction from Reference Line
both Feet Leui Shoe	. tromoter			
and Fabric Franche	along			
with Skin Remnants.				
O Joshim De	amo -	D		4.90
Pedesti do 2	mil-	.8E		5.0 N
The speak	End-	2.0E		4.9.10
				, , , , , , , , , , , , , , , , , , ,
Final Root Blood	Stain	10.0E	-	5,4 N
	w radore.	<u>~ </u>		and the second s
		garage and the second s		
	e constant de entrese en 1960 e	and the second control of the second control	ray) differential (which the state of
Form 0435F (7/94)				

ltem	Distance and Direction from Reference Point	Distance and Direction from Reference Line			
·					
		·			
,					
		<u> </u>			
·					

.

.

"ational Highway Traffic Safety

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

		PEDESTRIAN CRASH DATA S	TU
Primary Sampling Unit Number	82	SPECIAL STUDIES - INDICATORS	
2. Case Number - Stratum	6 P	Check (🗸) each special study (SS15-SS19 below that has been completed; code 1 for the check	ed
IDENTIFICATION		special studies and 0 for the special studies n checked.	ot
3. Number of General Vehicle Forms Submitted	0 1	6SS15 Administrative Use	0
4. Date of Accident (Month,Day,Year)) 9 5	7✓SS16 Pedestrian Crash Data Study	1_
5. Time of Accident		8SS17 Impact Fires	0
Code reported military time of ac		9SS18	0
NOTE: Midnight = 2400 Unknown = 9999		10SS19	0
		NUMBER OF EVENTS	

PEDESTRIAN STUDY CRITERIA

11. Number of Recorded Events

in This Accident

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS									
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage			
12. <u>0 1</u>	13. <u>0 1</u>	14. <u>Ø</u> <u>A</u>	15. <u></u>	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>			

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

PEDESTRIAN ASSESSMENT FORM

Form Approved
O.M.B. No. 2127-0021

National Highway Traffic Safety Kaministration

NATIONAL ACCIDENT SAMPLING SYSTEM
PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 2. Case Number - Stratum 6 P	10. Pedestrian's Weight Code actual weight to the nearest kilogram.
3. Pedestrian Number 0 1	(999) Unknown $\frac{237}{2}$ pounds X .4536 = 108 kilograms
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping
6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown inches X 2.54 = centimeters	(6) Jumping (7) Falling/stumbling or rising (8) Other (specify): (9) Unknown 13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight
7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown Sinches X 2.54 Sinches X 2.54	(02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway
8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	(09) Off road, moving along driveway (98) Other (specify): (99) Unknown
$3 \pm \text{inches } \times 2.54 = 86.36$ centimeters	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions
9. Pedestrian's Height - Ground to Shoulder Code to the nearest centimeter. (999) Unknown Code to the nearest centimeter. (999) Unknown	 (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other(specify):
58 inches x 2.54 = 147.3 Dentimeters Outgos.	(9) Unknown BEST AVAILABLE COPY

DEDECTRIANIC AVAIDANCE ACTIONS	
15. Pedestrian's First Avoidance Actions (00) No avoidance actions (01) Stopped (02) Accelerated pace (03) Ran away (along vehicle path) (04) Jumped	18. Pedestrian's Arm Orientation at Initial Impact (01) At sides (02) Folded across chest (03) Hands clasped behind back (04) Hands on hips (05) Hands in pockets One or both arms:
(05) Turned toward vehicle	(06) Extended upward
(06) Turned away from vehicle (07) Dove or fell away	(07) Extended to side
(07) Dove of fell away	(08) Extended forward bracing (09) Extended, holding object
Used hand(s) to :	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle (14) Crouched and braced hands against	(11) Holding object (young child, grocery
· vehicle	bag, etc.) on shoulder(s) or head (98) Other (specify):
(98) Other (specify):	(99) Unknown
(99) Unknown	
	19. Pedestrian's Leg Orientation
	at Initial Impact (01) Together
PEDESTRIAN'S ORIENTATION AT IMPACT	(02) Apart-laterally
The state of the s	(03) Apart-right leg forward
	(04) Apart-left leg forward
10.7	(05) Apart- forward leg unknown
16. Pedestrian's Head Orientation	(06) Left foot off the ground (07) Right foot off the ground
at Initial Impact (1) To front	(08) Both feet off the ground
(2) To left	(98) Other (specify):
(3) To right	(99) Unknown
(4) Up	20. Vehicle/Pedestrian's Interaction
(5) Down (8) Other (specify):	(01) Carried by vehicle, wrapped position
(9) Unknown	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
17 Padassi / P. J. (2)	(04) Passed over vehicle top
17. Pedestrian's Body (Chest) Orientation at Initial Impact	(05) Thrown straight forward (06) Thrown forward and left of vehicle
(1) Facing vehicle	(07) Thrown forward and right of vehicle
(2) Facing away	(08) Knocked to pavement, forward
(3) Left side to vehicle	(09) Knocked to pavement, left of vehicle
(4) Right side to vehicle(8) Other (specify):	(10) Knocked to pavement, right of vehicle (11) Knocked to pavement, run over or
(9) Unknown	dragged by vehicle
	(12) Shunted to left (corner impacts only)
1	(13) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside (15) Snagged, rotated
	(16) Snagged, dragged by vehicle
	(17) Foot or legs run over
	(98) Other (specify):
. I	(99) Unknown

INJURY CONSEQUENCES
25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed
(5) U - Injury, severity unknown (6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Nonfatal (3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown
27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify):
28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOP - VARIABLES 30 THROUGH 37 A	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured	34. 1st Medically Reported Cause of Death
31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given	this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify):
32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported, HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 + n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	(97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORDS	INCLUDED WITH INITIAL SUBMISSION?
UPDATE CANDIDATE?	NO[] YES[]

PEDESTRIAN INJURY FORM

Form NOT Approved O.M.B. No. ###########

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

. Primary Sampling Unit Number

3. Pedestrian Number

2. Case Number - Stratum

4. Blank

INJURY DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

	Source		Type of	AIS-90 Specific					Injury Source	Direct/		Type	
	of Injury Data	Body Region	Anatomic Structure	Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	injury Source	Confidence Level	Indirect Injury	Striking Profile	Of Damage	Damage Depth
1st	5	6. 8	7.9	8. <u>04</u>	<u>ر 0</u> .و	10	11.2	12. <u>700</u>) 13/	14	15	16. 🖊	17.
2nd	18	19. 🛭	20. 5	21. 18	22. <u>J</u>	223.3	24.2	25. <u>700</u>	26	27. 🖊	28	29. /	зо. <u>/</u>
3rd	31	32. 8	33.5	34. <u>O</u>	95. <u>1</u>	36. 2	37. 2	зв. <u>70 С</u>	39/	40. 2	41	k.]	43
4th	, 44	45	46. 9	47. <u>O(</u>	18. <u>O</u>) _{.49.} <u> </u>	50 <u>,</u> 3	51. <u>70</u> /	52	53	54	55. <u>2</u>	-56. <u>2</u>
5th	57	58. 🔏	59.5	60. <u>I 8</u>	1.22	623	63. <u>/</u>	64. <u>70</u> 0) 65/	66. 2	67. 1	68	69
6th	70. <u>/</u>	71. 7	72.5	73. <u>3</u> 27	a. <u>09</u>	75. <u>3</u>	76. <u>Z</u>	77.703	3. 78	79/	80.4	81:3	823
7th	83	847	86	86 <u>0</u> <u>4</u> 8	7. <u>0</u> 2	88	89	90. <u>70 3</u>	3 91. <u>/</u>	92	93. <u>4</u>	94. <u>3</u>	95. <u>3</u>
8th	96	977	98. 5	99.2810	». <u>D4</u>	101. 3	102. <u>Z</u>	103. <u>703</u>	104	106/	106. 🚽	107. 🔰	108.
9th	109	110. 8	<u>5</u>	112 2 411	3. <u>00</u>	114. <u>2</u>	116/	116. <u>700</u>	117	118. /	119/	120	121
10th	122	1237	124.5	125. 2612	6.04	127. 3	128. 2	129. <u>703</u>	130. <u> </u>	131	132.4	133. <u>3</u>	134. <u>2</u>

•				PEDES	TRIA	N IN.II	JRY DAT	ΤΔ				
Source of Injury Data	Body Region	Type of Anatomic Structure	AIS.90 Specific Anatomic Structure	Level of injury	A.I.S. Severity	Aspect	Injury Source	injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth _j
11th <u> </u>	1	<u>5</u>	<u>04</u>	<u>02</u>	2	<u>5</u>	7 0 3	1		<u>5</u>	· <u>/</u>	4
12th	1	9	08	04	2	<u>5</u>	7 <u>03</u>	1	1	5	4	8
13th <u> </u>	1	9	06	04	2	2	7 <u>03</u>	_	_	5	4	8_
14th <u>/</u>	2	9	06	02	_/	1	7 <u>03</u>	7	1_	5	4_	8_
15th <u></u>	1	4	06	84	3	1	703		1	<u>5</u>	4	8
16th	1	4	06	84	<u>3</u>	7	703			5	4	<u>8</u>
17th _	4	4	10	0,4	3	4	7 <u>0</u> 0	7	2			
18th <u> </u>	.5	4	18	26	4	_/	7 <u>00</u>	1	2	1		
19th	5	9	02	02		2	702	1	1	1	_/	1
20th	_5	4	<i>2</i> 2	10	2	8	7 <u>00</u>	<u>/</u>	2	1		1
21st <u></u>	5	4	20	10	2	8	<u> 700</u>	<u>/</u>	2	_/	1	1
22nd	6	4	04	26	5	7	703	1	2	4	3	3
23rd <u> </u>	4	5	02	12		1	701	1	2	4	3	3_
z4th _	7	9_	04	02		1	947	/	7	0	0	<u>Q</u>
25th _	<i>S</i> :	9	02	02	1	1	947		_	0	<u>D</u>	0


J

					PEDES	TRIA	ונמו מ	URY DAT	Α				
	Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
26	Hh _/	8	9	04	12	_/	1	947		_	Q	0	Q
27	1 th	1	9	04	02		1	947		1	0	0	0
281	4 <u>3</u>	L	6	02	10	4	Q	703	1	4	4	3	3
	·					_			_				
	·		.—			***************************************	_			*****			
			_							_		 .	_
	_		·		;						_		
		. 					,				· ———		
												-	
							_						
												_	
			_				_	Annes 4.1.1.4					-
	_		· —					erentin custos		<u>_</u>			_
							. ·		—				-
		'	•				-		_	 .			_

INJURY SOURCE CONFIDENCE LEVEL TYPE OF DAMAGE SOURCE OF INJURY DATA OFFICIAL Certain (0) Injury not from vehicle contact Probable No damage/contact (1) Autopsy records with or without hospital/ Possible Scratch medical records Unknown Hospital/medical records other than (4) Large deformation emergency room (e.g., discharge DIRECT/INDIRECT INJURY (5) Cracked, fractured, shattered Direct contact injury Separated from vehicle (6) (3) Emergency room records only (including Indirect contact injury Noncontact injury Noncontact injury associated X-rays or other lab reports) Other specify: Injured, unknown source Private physician, walk-in or emergency Unknown clinic STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) UNOFFICIAL Injury not from vehicle contact No residual damage (5) Lay coroner report Surface only damage (6) E.M.S. personnel Rounded (contoured) Crush depth >0 to 2 centimeters Crush depth >2 to 5 centimeters (4) (5) Interviewee Rounded edge Sharp edge Other source (specify): Other (specify): Crush depth > 5 to 10 centimeters Other specify: (9) Police Unknown (9) Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region** Specific Anatomic Structure Abbreviated Injury Scale Spine (02) Cervical Head Face Whole Area (02) Skin - Abrasion (04) Skin - Contusion (04) Thoracic Minor injury (06) Lumbar (2) (2) Moderate injury (3) Neck 131 Serious injury (08) Skin - Laceration Vessels, Nerves, Organs, Bones, Joints Thorax (4) Severe injury Critical injury (5) Abdomen (08) Skin - Avulsion are assigned consecutive two digit (6) Soine (10) Amoutation numbers beginning with 02 (8) Maximum (untreatable) Upper Extremity (20) Burn Injured, unknown severity Lower Extremity (30) Crush Level of Injury (40) (8) Unspecified Degloving Aspect Injury - NFS Trauma, other than mechanical (50) Specific injuries are assigned consecutive two-digit numbers Type of Anatomic Structure Right beginning with 02. Head - LOC (02) Length of LOC Whole Area (3) Bilateral Vessels To the extent possible, within the (4) Central (04, 08, 08) Level of Consciousness (3) organizational framework of the AIS, 00 Nerves Anterior (4) Organs (includes muscles/ (10) Concussion is assigned to an injury NFS as to severity or where only one injury is (6) Posterior ligaments) (7) Superior (5) Skeletal (includes joints) given in the dictionary for that anatomic (8) Inferior structure. 99 is assigned to any injury NFS as to lesion or severity. Unknown Whole region (8) Head - LOC INJURY SOURCE **FRONT** Wheels / tires 790 Left front wheel / tire 700 Front bumper 744 B pillar 745 C pillar 791 Right front wheel / tire 701 Front lower valance/spoiler 702 Front grille 746 D piller 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify): 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 705 Hood omament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify): 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission eft Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar 809 Fuel tank Back Components 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component Accessories 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle 821 Cellular or CB radio antenna Top Components 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar component 824 Luggage, ski, or bike rack 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify): 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify): (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground Right Side Components 779 Rear header 948 Other object (specify): 740 Front fender side surface 780 Hatchhack 949 Unknown object in environment 741 Front antenna 959 Unknown object on contacting vehicle 781 Rear trunk lid 742 A1 pillar 788 Other top component (specify): 997 Noncontact injury source 743 A2 pillar

789 Unknown top component

999 Unknown injury source



National Highway Traffic Safety

PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Administration	PEDESTRIAN CRASH DATA STU
1. Primary Sampling Unit Number $ \sum 2 $	OFFICIAL RECORDS
2. Case Number - Stratum 6 11 P	9. Police Reported Travel Speed
3. Vehicle Number 0 1	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160)159.5 kmph and above
VEHICLE IDENTIFICATION	(999)Unknown
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown	mph X 1.6093 =kmph 10. Speed Limit
5. Vehicle Make (specify): Applicable codes are found in your	Code posted or statutory speed limit in kmph (999) Unknown
NASS PCDS Data Collection, Coding and Editing Manual. (99) Unknown	11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present
6. Vehicle Model (specify): 24	(7) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown
Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused
7. Body Type Note: Applicable codes may be found on the back of this page.	(96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number	Source:
45380455357 Left justify; Slash zeros and letter Z (@ and Z) No VIN—Code all zeros Unknown—Code all nines	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (82) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA				
15. Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown 2826 lbs x .4536 = kgs	Nearest kmph (NOTE: 000 means greater than .5 kmph) (160)159.5 kmph and above (999)Unknown				
Source:	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates				
	PRECRASH DATA				
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio (specify): (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify):				
	(98) No driver present (99) Unknown				

	Critical Precrash Event	1 (83) Pedalcyclist or other nonmotorist in roadway
	This Vehicle Loss of Control Due To:		(specify):
	01) Blow out or flat tire	1 (84) Pedalcyclist or other nonmotorist approaching
	02) Stalled engine		roadway (specify):
((03) Disabling vehicle failure (e.g., wheel fell off)	1 0	85) Pedalcyclist or other nonmotorist—unknown
	(specify):		location (specify):
((04) Non-disabling vehicle problem (e.g., hood flew		Object or Animal
	up) (specify):		87) Animal in roadway
(C	(25) Poor road conditions (puddle, pot hole, ice, etc.)		38) Animal approaching roadway
,,	(specify):	(8	39) Animal—unknown location
(0	06) Traveling too fast for conditions		90) Object in roadway
,,	08) Other cause of control loss (specify):	(9	91) Object approaching roadway
ıc	Q) Unknown	(9	32) Object—unknown location
77	9) Unknown cause of control loss his Vehicle Traveling	(9	98) Other critical precrash event (specify):
		Ì	
(1	Over the lane line on left side of travel lane Over the lane line on right side of travel lane	(5	99) Unknown
(1	2) Off the edge of the road on the left side		
(1	3) Off the edge of the road on the right side	24. A	ttempted Avoidance Maneuver
(1	4) End departure		O) No driver present
	5) Turning left at intersection		1) No avoidance actions
(1	6) Turning right at intersection		2) Braking (no lockup)
(1	7) Crossing over (passing through) intersection		3) Braking (lockup)
(1	9) Unknown travel direction		4) Braking (lockup unknown)
O:	ther Motor Vehicle In Lane		5) Releasing brakes
	0) Stopped		6) Steering left
	1) Traveling in same direction with lower speed		7) Steering right
•	(i.e., lower steady speed or decelerating)	1 (0	8) Braking and steering left
(5	2) Traveling in same direction with higher speed	(0	9) Braking and steering right
(5	3) Traveling in opposite direction		0) Accelerating
	4) In crossover	1 11	1) Accelerating and steering left
(5	5) Backing	1 %	2) Accelerating and steering right
(59	9) Unknown travel direction of other motor vehicle	10	8) Other action (specify):9) Unknown
	in lane	10	a) Oliviowii
Ot	her Motor Vehicle Encroaching Into Lane	25. Pr	ecrash Stability After Avoidance Maneuver
(60)) From adjacent lane (same direction)—over left	(0)	No driver present
	lane line	(1)	
(61) From adjacent lane (same direction)—over right	(2)	Tracking
	lane line	(3)	Skidding longitudinally—rotation less than 30
(62	2) From opposite direction—over left lane line		degrees
(63	From opposite direction—over right lane line	(4)	
(64	From parking lane	(5)	The second of th
(65	From crossing street, turning into same direction	(8)	Other vehicle loss-of-control (specify):
(66) From crossing street, across path	(9)	Proceeds at a billion
(67) From crossing street, turning into opposite	(3)	Precrash stability unknown
	direction	26. Pre	crash Directional Consequences of
(58	From crossing street, intended path not known	Av	oidance Maneuver (Corrective Action)
(70	From driveway, turning into same direction	(O)	No driver present
(7)	From driveway, across path	(1)	No avoidance maneuver
173	From driveway, turning into opposite direction	(2)	and a serious in the volume of the serious and the serious ser
174	From driveway, intended path not known	(0)	maneuver was initiated
178	From entrance to limited access highway	(3)	and are all today but left flavel laffe
(70	Encroachment by other vehicle—details unknown	141	where avoidance maneuver was initiated
Ped		(4)	The state of the s
(80	estrian or Pedalcyclist, or Other Nonmotorist Pedestrian in roadway		travel lane where avoidance maneuver was initiated
(81)	Pedestrian approaching roadway	(5)	
(82)	Pedestrian—unknown location	(6)	Avoidance maneuver initiated off roadway
/	CHIMIONALI IOCATIOU	(9)	Directional agence

(9) Directional consequences unknown

		ENVIR		ENTAL DATA
27.		ntion to Junction Non-junction Interchange area	7	33. Roadway Surface Condition (1) Dry (2) Wet
·	(2) (3)	Interchange Intersection Intersection-related Drive, alley access related Other non-interchange (specify):		(3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
	(6) (9)	Unknown type of non-interchange Unknown if interchange		34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR
28.	(1)(2)(3)(4)	ficway Flow Not physically divided (two way traffic) Divided trafficway - median strip without positive barrier Divided trafficway - median strip with positive barrier One way trafficway Unknown	<u></u>	crossing) Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify):
	(1) (2) (3) (4) (5) (6) (7)	ober of Travel Lanes One Two Three Four Five Six Seven or more Unknown	4	(6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR controls (specify): (9) Unknown 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning
30.	Road	lway Alignment Straight	<u>J</u>	(2) Functioning (9) Unknown
	(2) (3)	Curve right Curve left Unknown		36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted
,	(1) (2) (3) (4) (5)	way Profile Level Uphill Grade (>2%) Downhill Grade (>2%) Hillcrest Sag Unknown		(4) Dawn (5) Dusk (9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain
	(1) (2) (3) (4) (5) (8)	way Surface Type Concrete Bituminous (asphalt) Brick or Block Slag, gravel or stone Dirt Other (specify):	2	 (3) Sleet (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown
(9) (Unknown		



National	Highway	Traffic	Safety
Adminiet			•

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

				\ \
	•			~
 Primary 	Sampling	Unit	Number	0
•				~

X	9
11	Р

3. Vehicle Number

2. Case Number - Stratum

_ <u>P</u>

VEHICLE IDENTIFICATION

VIN 453 BD 655357

Vehicle Make (specify): Sub cum

Vehicle Model (specify):

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

Steel		
	1	

cm cm

cm

cm

VERTICAL MEASUREMENTS

PEV16	Front	Bumper-Bottom	Height
	11011	Damper-Doctom	HEIGHT

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

040	cm
<u> </u>	cm ~
<u>068</u>	cm

WRAP DISTANCES

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield


PEV25 Ground to Head Contact

VEHICLE DAMAGE SKETCH 2) - hush of frill formel under Hood Florel Flood Edge Head PHeallight

NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axies (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axies) from the ground:


WVEHICLE DAMAGESKETCH



Head Wrap Contact

NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:



PEDESTRIAN SIDE CONTACT WORK SHE	ET
PEV06 Hood Material	
PEV08 Hood Length	cm
PEV09 Hood Width-Forward Opening	cm
PEV10 Hood Width-Midway	cm
PEV11 Hood Width-Real Opening	cm
VERTICAL MEASUREMENTS	
PEV26 Ground Clearance	
PEV27 Side Bumper-Bottom Height	cm
PEV28 Side Bumper-Top Height	cm
PEV29 Centerline of Wheel	cm
PEV30 Top of Tire	cm
PEV31 Top of Wheel Well Opening	cm
PEV32 Bottom of A-Pillar at Windshield	cm
PEV33 Top of A-Pillar at Windshield	cm
PEV34 Top of Side View Mirror	cm
	cm
LATERAL MEASUREMENTS	
DATE IN LAGORE WELLTO	
PEV35 C _L to A-Pillar at Bottom of Windshield	cm
PEV36 C _L to A-Pillar at Top of Windshield	cm
PEV37 C _L to Maximum Side View Mirror Protrusion	cm
WRAP DISTANCES	
PEV38 Ground to Side/Top Transition	cm
PEV39 Ground to Hood Edge	cm
PEV40 Ground to Centerline of Hood (ORIGIN)	cm
PEV41 Ground to Head Contact	cm
•	

ORIGINAL SPECIFICATIONS

	1				
Wheelbase	101.6	inches	x 2.54	=	<u>258</u> cm
Overall Length	138.9	inches	x 2.54	=	<u>454</u> cm
Maximum Width	_66.5	inches	x 2.54	=	1 6 9 cm
Curb Weight _		pounds	x .4536	=	, kg
Average Track		inches	x 2.54	=	cm
Front Overhang		inches	x 2.54	=	cm
Rear Overhang		inches	x 2.54	=	cm
Undeformed End Width		inches	x 2.54	=	cm
Engine Size: cyl./disp	1	СС	x .001	=	L
		CID	x .0164	=	L

PSU NUMBER CASE NUMBER YEAR

82	
6117	
1995	

PEDESTRIAN EXTERIOR VEHICLE FORM

THE FOLLOWING DATA IS NOT INCLUDED IN THIS CASE:

[] ENTIRE FORM

[] PAGE NUMBER (S) 4

POINTS OF PEDESTRIAN CONTACT LIST CONTACTS IN CHRONOLOGICAL ORDER										
CONTACT	COMPONENT CONTACTED CODE	LONGITUDINIAL LOCATION (C)	LATERAL LOCATION	CRUSH RI CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	1	FIDENC DUTAC (Cir	T POM	
1							1	2	3	
2					•		1	2	3	
3							1	2	3	
4							- 1	2	3	
5							1	2	3	
6							1	2	3	
7				i i			1	2	3	
8							1	2	3	-
9		-					1	2	3	_
10							1	2	3	

FRONT 743 A2 piller Wheels / tires 744 B piller 790 Left front wheel/tire 745 C piller 700 Front bumper 791 Right front wheel/tire 701 Front Lower valance/spoiler 748 D piller 792 Left rear wheel/tire 702 Front grille 748 Other pillar (specify):_ 793 Right rear wheel/tire 703 Hood edge and/or trim 749 Right side roof rail 798 Other wheel/tire (specify): _ 704 Hood ornament (fixed) 750 Right side door surface 799 Unknown wheel/tire 705 Hood ornament (spring loaded) 751 Door handle 752 Right side mirror fixed housing Undercarriage components 753 Right side folding mirror 754 Right side glazing forward of B pillar 755 Right side glazing rearward of B pillar 755 Right side glazing rearward of B pillar 706 Headlight 707 Retractable headlight door (Open/Closed) 800 Front crossmember 708 Turn signal/parking lights 801 Steering assembly/Front suspension 718 Other front or add on object (specify): 758 Rear antenna 803 Exhaust system pipe 719 Unknown front object 757 Rear fender or quarter panel 804 Transmission 758 Other right side object (specify): _ 805 Drive shaft Left Side Components 759 Unknown right side component 806 Catalytic converter 807 Muffler 720 Front fender side surface **Back Components** 808 Floor pan 721 Front antenna 809 Fuel tank 722 A1 pillar 760 Rear (back) bumper 810 Rear suspension 723 A2 piller 761 Tailgate 818 Other undercarriage component 724 B pillar 762 Hatchback, vertical surface 725 C pillar 768 Other back component (specify): 819 Unknown undercarriage component 726 D piller 769 Unknown back component 728 Other piller (specify): ___ Accessories 729 Left side roof rail Top Components 820 Air scoop, deflector 730 Left side door surface 821 Cellular or CB radio antenna 731 Door handle 770 Hood surface 822 Emergency lights or bar 732 Left side mirror fixed housing 771 Heed surface reinforced by underhood component 823 Fog lights 733 Left side folding mirror 772 Front fender top surface 824 Luggage, ski, or bike rack 734 Left side glazing forward of B piller 735 Left side glazing rearward of B piller 736 Left side back fender or quarter panel 773 Cowl area 825 Cargo (specify):____ 774 Wiper blade & mountings 826 Spare tire 775 Windshield glazing 827 Spotlight 737 Rear antenna 776 Front header 828 Other accessory (specify): __ 738 Other left side object (specify): ___ 777 Roof surface 739 Unknown left side component 778 Backlight glazing Other Object or Vehicle in Environment 779 Rear header 848 Other object in environment Right Side Components 780 Hatchback (specify):__ 781 Rear trunk fid 849 Unknown object in environment

788 Other top component (specify):

789 Unknown top component

959 Unknown object on contacting vehicle

997 Nencontact injury source

999 Unknown injury source

740 Frent fender side surface

741 Front entenne

742 A1 piller

POINTS OF PEDESTRIAN CONTACT -- PEDESTRIAN # 1

PEDESTRIAN CONTACT WORKSHEET PAGE

CONTACT I D LABEL	COMPONENT CONTACTED (CODE or OBJECT)	LONGITUDINAL LOCATION	LATERAL LOCATION	CRUSH IN CM	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT
A	Bumpa Lower	87187	-42	~3 cm	Legs	Smagal/ Fabric	7 2 3 9
	Bumper	92105	- 97	Scull	2000		1) 2 3 9
F	Bumpan	8514	11.0.	Scratch	Teeth	Force disection	1)2 3 9
0-6	Bumper	88-80,0		suff smen		Grasy smen	1 2 3 9
8	Headlight	77-33	-50-62	Ö	Fore	Blood smile und Headly	1)2 3 9
5	Hood Eye	ナケ	-59	3-4	Head	Skin han	1)2 3 9
2	Under Hosel	57	-62	16	Head	skin/sculp Han	$(1)_{2}_{3}_{9}$
H	Grill	8589	0-535	Bloke sup (m 300 foda	or forms curledone	
F	Hood	70	- Ø	4-5cm	(Kib	Lunge fourted dents	(1)2 3 9
	Hood	66	-17	ofpeotiff	OEHOW/A	com scuff syman	1(2)3 9
-	HORD	56	-9	<i>' ' ' '</i>	3	(1 " 11	1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
-			<u></u>				1 2 3 9

	Page
4. Original Wheelbase $\frac{58}{58}$	11. Hood Width Rear Opening Code to the nearest centimeter
Code to the nearest centimeter (999) Unknown	(210) 210 centimeters or more (999) Unknown
16 \ . \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	inches X 2.54 = centimeters
5. Original Average Track Width Code to the nearest centimeter (185) 185 centimeters or more (999) Unknown inches X 2.54 = centimeters	12. Hood/Fender Vertical/Lateral Crush From Pedestrian (0) Not damaged (1) Surface scratching only, no residual crush (2) Minor crush (1-3 centimeters) (3) Moderate crush (4-7 centimeters) (4) Severe crush (>7 centimeters) (8) Damage present, unknown if damage is
6. Hood Material (1) Plastic	from pedestrian impact (9) Unknown
(1) Plastic (2) Fiberglass (3) Steel (4) Aluminum (5) Stainless Steel (8) Other (specify):	13. Windshield Contact Damage From Pedestrian Contact (0) Not contacted by pedestrian (1) Contacted by pedestrian - not damaged (2) Contacted by pedestrian - damaged (3) Unknown if contacted by pedestrian - not damaged
7. Hood Original Equipment Manufacturer (OEM) (1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown	 (4) Unknown if contacted by pedestrian - damaged (9) Unknown if contacted by pedestrian - unknown if damaged FRONT CONTACT DAMAGE
8. Hood Length Code to the nearest centimeter	Front Vertical Measurements 14. Front Bumper Cover Material
(180) 180 centimeters or more (999) Unknown	(0) No front contact (1) Plastic (2) Fiberglass
9. Hood Width Forward Opening	(3) Rubber (4) Other (specify): (9) Unknown
Code to the nearest centimeter (210) 210 centimeters or more	15. Front Bumper Reinforcement Material (0) No front contact
(999) Unknown inches X 2.54 = centimeters	(1) Steel (2) Aluminum (3) Stainless Steel
10. Hood Width Midway Code to the nearest centimeter	(4) Other (specify):
(210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters	Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more
· · · · · · · · · · · · · · · · · · ·	(999) Unknown inches X 2.54 = centimeters

		ME	ta System: Pedestrian Exterior Vehicle I	Form Page
17.	Front Bumper-Top Height Code to the nearest centimeter	<u> </u>	23. Ground to Base of Windshield Code to the nearest centimeter	126
	(000) No front contact (150) 150 centimeters or more (999) Unknown		(000) No front contact (400) 400 centimeters or more (999) Unknown	
	inches X 2.54 =	_ centimeters	inches X 2.54 =	centimeters
18.	Forward Hood Opening Code to the	068	24. Ground to Top of Windshield Code to the	270
	nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown		nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown	
	inches X 2.54 =	_ centimeters	inches X 2.54 =	centimeters
19.	Front Bumper Lead (00) No front contact	08	25. Ground To Head Contact Code to the nearest centimeter	$\Psi\Psi\Psi$
	Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown		(000) No front contact (400) 400 centimeters or more (999) Unknown	
	inches X 2.54 =	_ centimeters	inches X 2.54 =	centimeters
				•
	Front Wrap Distance Measure	ments	SIDE CONTACT DAMA	
			Side Vertical Measurem	ents
~~				
20.	Ground to Forward Hood Opening Code to the nearest centimeter	0+2	26. Ground Clearance Code to the	ØQ.0
20.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	0+2	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more	$\mathcal{D}\mathcal{D}$
	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	_ 	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown	Centimeters
	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = Ground to Front/Top Transition Poin Code to the	_ 	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 =	centimeters QQQ
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 =	_ 	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown	centimeters COCO
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown Ground to Front/Top Transition Poin Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more	077	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = 27. Side Bumper-Bottom Height Code to the nearest centimeter	centimeters QQQ
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = Ground to Front/Top Transition Poin Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknowninches X 2.54 =	077	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown	centimeters COOO
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	077	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown	QQ
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = Ground to Front/Top Transition PoinCode to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknowninches X 2.54 = Ground to Rear Hood OpeningCode to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown	$\frac{1077}{179}$	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown	QQ
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = Ground to Front/Top Transition PoinCode to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknowninches X 2.54 = Ground to Rear Hood OpeningCode to the nearest centimeter (000) No front contact (400) 400 centimeters or more	$\frac{1077}{179}$	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown	QQ D

20	Controller	MAM	814.1	rom Page
29.	. Centerline of Wheel Code to the	AAAA	Side Lateral Measuren	MOCE
	nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown	\	35. Centerline to A-Pillar at Bottom of Windshield (000) No side contact Code to the	<u>000</u>
	inches X 2.54 =	centimeters	nearest centimeter (250) 250 centimeters or more (999) Unknown	
30.	Top of Tire Code to the nearest centimeter		inches X 2.54 =	centimeters
	(000) No side contact			
	(200) 200 centimeters or more (999) Unknown		36. Centerline to A-Pillar at Top of Windshield Code to the	<u> </u>
	inches X 2.54 =	centimeters	nearest centimeter (000) No side contact (250) 250 centimeters or more	
31.	Top of Wheel Well Opening Code to the	900	(999) Unknown	
	nearest centimeter (000) No side contact		inches X 2.54 =	centimeter
	(250) 250 centimeters or more (999) Unknown		37. Centerline to Maximum Side View Mirror Protrusion	<u>0000</u>
	inches X 2.54 =	centimeters	Code to the	•
	Bottom of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact	000	nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	
	(250) 250 centimeters or more (999) Unknown	•	inches X 2.54 =	centimeter
	inches X 2.54 =	centimeters	Side Wrap Distance Measu	ements
:	Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	000	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown	<u>0</u> <u>0</u> <u>0</u> <u>0</u>
-	inches X 2.54 =	centimeters	inches X 2.54 =	centimeters
34. <u>-</u>	Top of Side View Mirror Code to the nearest centimeter	000	39. Ground to Hood Edge Code to the nearest centimeter	000
((000) No side contact (300) 300 centimeters or more (999) Unknown		(000) No side contact (500) 500 centimeters or more (999) Unknown	
٠ -	inches X 2.54 =	centimeters	inches X 2.54 =	centimeters

<u> </u>			 ,	rayes
40.	Ground to Centerline of Hood (Origin) Code to the nearest centimeter (000) No side contact (700) 700 centimeters or more	20		
41.	(999) Unknown inches X 2.54 =centin	neters 2		
	nearest centimeter (000) No side contact (800) 800 centimeters or more (999) Unknown			
	inches X 2.54 = centin	neters		
			·	
	•		·	
·				·
,				,
				·

611P

FRP to POIT 25 m = 82 ft.

f = 0,70

Ped bending over

Perception/Reaction time -

 $S = Vt + \frac{V^2}{2+g}$ S = 82 + t t = 1.75 - 5 f = 0.7

 $82 = 1.25 \vee + \frac{2}{(2)(0.7)(32.2)}$

0.022V2 +1.75-V-42 = 0

 $V = \frac{-b \pm 7b^2 - (4)(0.022)(-42)}{4}$

-6! 710.334 = -1.75 ± 3.21 = 1.465

 $\frac{1.465^{-}}{1250.022} = \frac{1.465^{-}}{0.744} = 33 fps = 22 mph$

binal

82611P00000011 958.040000000000120560100001 95 95 95 95000000000 000000000000000 01 82611P00010012 958.0410000000000102F72000 82611P00010021 8.04 0000000002811734608614710840003005302010500000311016203 9140122111728 82611P00010131 8.04 00000000018904021270011111 82611P00010231 8.04 00000000018518223270011111 8.04 00000000018508142270012111 82611P00010331 82611P00010431 8.04 00000000018906021370111122 82611P00010531 8.04 00000000018518223170012111 82611P00010631 8.04 00000000017532043270311433 82611P00010731 8.04 00000000017904021170311433 82611P00010831 8.04 00000000017528043270311433 8.04 00000000018524002170011111 82611P00010931 82611P00011031 8.04 00000000017526043270311433 82611P00011131 8.04 00000000011504022570311514 8.04 00000000011908042570311548 82611P00011231 82611P00011331 8.04 00000000012906042270311548 82611P00011431 8.04 00000000012906021170311548 8.04 00000000011406843170311548 82611P00011531 8.04 00000000011406843270311548 82611P00011631 82611P00011731 8.04 00000000014410043470012111 82611P00011831 8.04 00000000015418264170012111 8.04 00000000015902021270211111 82611P00011931 8.04 00000000015422102870012111 82611P00012031 8.04 00000000015420102870012111 82611P00012131 82611P00012231 8.04 00000000016404265770312433 82611P00012331 8.04 00000000014502121170312433 82611P00012431 8.04 00000000017904021194711000 82611P00012531 8.04 00000000018902021194711000 8.04 00000000018904021194711000 82611P00012631 82611F00012731 8.04 00000000011904021194711000 82611P00012831 8.04 00000000031602104070311433 82611P01000041 8.04 000000009548034044S3BD6553S7 52140180092331411211231 82611P01000051 8.04 000000002581463110213714414640110400560680807207717918 00000000000000

PSU82 CASE 611P

CURRENT VERSION: 8.04

ERROR SUMMARY SCREEN PEDESTRIAN STUDY



	MBER OF LLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	0	0	Υ
Pedestrian Assessment	Ō	Ö	Ō	Y
Pedestrian Injury	O	0	Ó	Υ
Pedestrian General Vehicle	o	0	0	Υ
Pedestrian Exterior Vehicle	0	0	O	Υ
Total Inter Errors		o	0	
Total Case Errors		······································	o	essentantes es esta entre que par para para en el mantena en el consequence en establece en